



Reliable

Reliable measurement ensured even in chlorinated water

Cost effective

Accurate detection of water in all tanks

User friendly


Simple mounting and maintenance-free operation

Fresh water and pool water tanks

Level measurement in fresh water and pool water tanks

Every yacht has different tanks on board for storing hot water, pool water and drinking water. For drinking water, an especially hygienic measuring system is required.

[More details](#)



VEGAWELL 52

Hydrostatic level measurement in the water tank

- Oil-free, ceramic-capacitive CERTEC® measuring cell
- Installation from the top or side
- High overload resistance
- Double seal withstands cleaning with chemical agents

[Show Product](#)



VEGABAR 82

Hydrostatic level measurement in the water tank

- On-site adjustment and display in one housing
- Oil-free, ceramic-capacitive CERTEC® measuring cell
- Side mounting

[Show Product](#)

PRO

PRO

VEGAWELL 52
[Show Product](#)

Measuring range - Pressure
 0 ... 60 bar

Process temperature
 -20 ... 80 °C

Process pressure
 -

Accuracy
 0.1 %

Materials, wetted parts
 PVDF
 316L
 Duplex (1.4462)
 FEP
 PE
 1.4301
 Titanium

Seal material
 EPDM
 FKM
 FFKM

Protection rating
 IP66/IP67
 IP68

Output
 4 ... 20 mA
 Two-wire: 4 ... 20 mA/HART

Ambient temperature
 -40 ... 80 °C

VEGABAR 82
[Show Product](#)

Measuring range - Distance
 -

Measuring range - Pressure
 -1 ... 100 bar

Process temperature
 -40 ... 150 °C

Process pressure
 -1 ... 100 bar

Accuracy
 0.05 %

Materials, wetted parts
 PVDF
 316L
 Alloy C22 (2.4602)
 PP
 1.4057
 1.4410
 Alloy C276 (2.4819)
 Duplex (1.4462)
 Titanium Grade 2 (3.7035)

Threaded connection
 $\geq G\frac{1}{2}$, $\geq \frac{1}{2}$ NPT

Flange connection
 $\geq DN15$, $\geq \frac{1}{2}$ "

Hygienic fittings
 Clamp ≥ 1 " - DIN32676, ISO2852
 Slotted nut $\geq DN25$ - DIN 11851
 hygienic fitting with tension flange DN32
 hygienic fitting F40 with compression nut
 DRD connection \varnothing 65 mm
 SMS 1145 DN51
 SMS DN38
 Swagelok VCR screwing
 Varivent G125
 Varivent N50-40
 for NEUMO BioControl D50 PN16 / 316L

Seal material
 EPDM
 FKM
 FFKM